



RIMOR

Catalogue 2025-2026



RIMOR

World sweet home

Welcome. Wherever you are.

With Rimor, everywhere is home. For almost 50 years we have been making motorhomes and camper vans inspired by the most familiar concept ever: the authentic comfort of the place you love the most. Our vehicles, which are fully designed and manufactured in Italy, combine practicality, space and comfort in a design that makes you feel good, wherever you are.

Whether you're at the seaside or in the mountains, in the city or in the countryside, with Rimor you'll rediscover the pleasure of travelling in freedom. And of always feeling free, in the right place.

Your compass

Find the Rimor that suits you best with our handy map

How to find the vehicle that best reflects your idea of outdoor life and turn it into reality? Get help with this handy map. Discover the new Sailer range, the new Super Brig outfitting or all the other new features, and choose the Rimor vehicle that best suits your needs, comparing at a glance the number of berths available, the number of belted seats, the total length of the vehicle and the engine type.

Horus

Fiat Ducato 2,2 L



from 5413
to 6363 mm



from 3
to 5

Kilig

Ford Transit 2,0 L



from 6449
to 7338 mm



from 4
to 7



from 2
to 7

Sarus

Fiat Ducato 2,2 L



from 6423
to 7443 mm



from 4
to 7



from 2
to 6+1

Super Brig & Sailer

Ford Transit 2,0 L



da 6958
a 7338 mm



da 4
a 5



da 2
a 6

Legend



low-profile



vans



certified seats



overcab



outside length



total berths (including assemblable)

 **HORUS**



» 12

 **KILIG**



» 20

 **SARUS**



» 32

 **SUPER BRIG**



 **SAILER**



» 46



Experience that drives you.

Comfort and functionality for all our models.

Numerous ranges, loads more models, but many common features, starting with reliability and functionality, the result of construction techniques tested over time. Our choice of the best solutions to guarantee you maximum comfort is guided by our experience, all under the banner of Italian craftsmanship.

ENERGY TECHNOLOGY AS STANDARD

- MEB-300 Smart Energy System
- Remote control from an app
- Optimised battery charging
- Solar panels installed
- Multi-source management: AC Mains / Solar / Alternator
- Smart couplings with power up to 400W / 60A

COMFORT DURING THE NIGHT AND PRIVACY

- Front and side driver's cabin blinds as standard
- Hypo-allergenic mattresses with removable covers
- Slatted bases on rear (and front)* beds
- Storage cabinets lighting with LED light guide

KITCHEN AND DESIGN

- Three-burner hob with electric ignition*
- Cabinets with damper hinges
- Incorporated removable kitchen bin
- Ergonomic garage pull handles

DRIVING AND SAFETY

- Adjustable car headrests
- ISOFIX points as standard
- Easy-to-access battery storage locker and external systems
- Full LED guide lights

*contact your dealership to find out which models are available



MEB-300. The new Rimor era.

**Smart motorhomes and vans with
MEB-300 Smart Energy System.**

Your Rimor motorhomes and vans are now smarter than ever. Every vehicle is fitted with the MEB-300 Smart Energy System as standard: an energy management, control and recharging system that sets a new standard in terms of energy efficiency and safety. And comfort at the touch of a button.



Remote control

Control lights and other functions easily from your mobile phone. Everything is just a touch away with the Bluetooth system and dedicated app.



Efficient recharging

Efficient recharging of auxiliary and main batteries, extending the battery life and optimising energy consumption. With an energy conversion efficiency of 96%.



Incorporation of solar panels

Using the MPPT (Maximum Power Point Tracking) technology, the battery charger optimises the solar input to capture the maximum possible energy, ensuring efficient charging even in varying light conditions.



New smart nodes

Smart control of the energy supplied by the power grid, photovoltaic panels and the vehicle alternator.



Smart. And powerful!

With 400W peak power and the ability to deliver up to 60A from the alternator, MEB-300 guarantees rapid and safe charging of the auxiliary batteries.



Multi-Source Management

Smooth integration of energy from the AC mains, solar panels and the vehicles' alternators.

Innovation drives your fun.



FIAT DUCATO X250

High-level driving comfort, cruise control, Traction Plus system and hill start assist.

- "Captain's Chair" seat: built-in headrests, an even wider back and adjustable armrests
- Cruise control
- Traction plus + hill start assist

And much more: dual airbags, central locking, set up for radio and speakers, electric windows, electric mirrors, ABS (Anti-lock Braking System), DAB antenna incorporated in the mirrors as standard, fog lights, steering wheel controls (without radio), back suspensions in composite material, all-season tyres.





FORD TRANSIT

The most powerful SYNC system has an incredible display, perfect connectivity and advanced functions for EVs.

- 12" touch screen
- Rear view camera as standard
- **Advanced connectivity:** Connected navigation / Voice control / Smartphone integration

And much more: driver's cab seat armrests, cruise control, lane keeping assist + lane departure detection, speed limit traffic sign recognition, front parking sensors, rear camera, dual airbags, electric mirrors, ABS (Anti-lock Braking System), hill start assist, DAB/USB/MP3/BLEETOOTH radio with steering wheel controls, Start & Stop, "trend" 8" digital dashboard + lockable glove compartment, "trend" interior cladding, rapid windscreen defroster, automatic rain-sensing windscreen wipers, electric rear-view mirrors with defrosting, electric handbrake, fog lights, automatic lights, blindspot and brake assist with cyclist and pedestrian detection.



HORUS

Van time. Fun time!

On the road to fun.

Your next adventure with Horus starts here. Do it your way, because there is a Horus for every free soul. Compact and sleek or large and spacious, choose the van you prefer from a range designed to meet your needs. An example? Horus 45, with overlapping and modular double beds at the rear, offers up to four comfortable berths in the sleeping area. And if there are five of you on board, the dinette can become an extra bed to accommodate everyone.

Control the lights from your smartphone and recharge the auxiliary batteries efficiently with the new smart MEB-300 system. Enjoy the comfort of home in all the configurations: with double, twin or French beds. Get ready to be amazed by the new features: from the front and side driver's cabin blinds to the large 700x500 mm panoramic window, as standard throughout the range.



Horus

Engine
Fiat Ducato

Displacement
2,2 L



from 5413
to 6363 mm



4



from 3
to 5

Compact. Complete. Incredible.

COMFORT

Travel how you want, sleep as comfortably as you would at home. Double or twin beds, hypo-allergenic mattresses with removable covers and front and side driver's cabin blinds for a perfect night's sleep, wherever you are. And the "Captain Chair" seats make all the difference, also when you're on the move.

TECHNOLOGY

Enjoy driving with Cruise Control, Traction Plus to be in control on difficult terrain and with poor grip, hill start assist and steering wheel controls. And enjoy the benefits of the new MEB-300 Smart Energy System, also available on Horus.

DESIGN

Modern lines, elegant interiors, durable materials. The 700x500 mm panoramic window lets in plenty of light, and a piece of the sky. Form follows function, without sacrificing style. Because even the eye wants its van.

CONFIGURATIONS




Compact or spacious, Horus adapts to your way of living life on the road. Modular, twin, French or overlapping beds. Do you need more space? Horus 54 and 38 transform the sleeping area into a storage area, and Horus 45 has up to 5 berths.

SLEEPING AREA

- French bed (Horus 12)
- Double bed (Horus 38 / Horus 54)
- Double superimposed bunk beds (Horus 45)
- Twin beds (Horus 95)









HORUS 12



HORUS 38



HORUS 45



HORUS 54



HORUS 95



*total berths as standard (including assemblable)

Technical data

HORUS


Engine Fiat Ducato

Displacement 2,2 L


Maximum power 103-140 kW-HP




HORUS 12



HORUS 38



HORUS 45



DIMENSIONS AND WEIGHTS				
Wheelbase (mm)	3450		4035	
Outside length (mm)	5413		5998	
Outside width - inside width (mm)			2050 - 1850	
Maximum outside height - inside height (mm)			2659 - 1875	
Certified seats			4	
Maximum overall weight (kg)			3500	
BEDS				
Fixed berths	2		4	
Assemblable berths			1	
Assemblable single bed centre dinette	1100x1820 (1320)		1150x1820 (1400)	
Assemblable double bed centre dinette			-	
Assemblable double bed rear dinette			-	
Rear single bed			-	
Rear double bed	1200x1900		1350x1920	
			n. 2 1350x1850	
TANKS				
Drinking water (inside)			20 + 65 l.	
Waste water tank			90 l.	
Gas bottle locker	(1+1) x 11:13 kg		(1+1) x 5:6 kg	
			(1+1) x 11:13 kg	
EQUIPMENT				
Gas heater			Combi C4	
Water heater			Combi C4	
Cabin swivel seats			✓	
Panoramic porthole living area			✓	
Driver's cabin blackout blind			✓	
Fridge	70 l.		90 l. (141 l. on request)	
Nr. burners hob			2	
Extractor hood			-	
Four	-		on request (no Fridge 141 l.)	

Technical data

HORUS 54


HORUS 95

HORUS

Engine Fiat Ducato

Displacement 2,2 L

Maximum power 103-140 kW-HP



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)	3450	4035XL
Outside length (mm)	5413	6363
Outside width - inside width (mm)	2050 - 1850	
Maximum outside height - inside height (mm)	2659 - 1875	
Certified seats	4	
Maximum overall weight (kg)	3500	
BEDS		
fixed berths	2	
Assemblable berths	1	
Assemblable single bed centre dinette	900x1820	1100x1820 (1400)
Assemblable double bed centre dinette	-	
Assemblable double bed rear dinette	-	
Rear single bed	-	800x1900 - 800x1900
Rear double bed	1320x1920	With extension 1300x1920
TANKS		
Drinking water (inside)	20 + 59 l.	20 + 65 l.
Waste water tank	90 l.	
Gas bottle locker	(1+1) x 11:13 kg	
EQUIPMENT		
Gas heater	Combi C4	
Water heater	Combi C4	
Cabin swivel seats	✓	
Panoramic porthole living area	✓	
Driver's cabin blackout blind	✓	
Fridge	70 l.	90 l. (141 l. on request)
Nr. burners hob	2	
Extractor hood	-	
Four	-	on request (no Fridge 141 l.)



**Dive into your
passions.**

KILIG

The excitement of exploring.

Camper life has never made your heart beat faster.

Life en plein air is truly inspiring with Kilig. With its new lighter and more resistant chassis, Kilig carries you away agilely and effortlessly. Let yourself be seduced by its smart solutions, also at the wheel: SYNC 4 with 12" touch screen, rear view camera and connected navigation, smartphone integration and voice control.

Be prepared to fall in love with its completely renovated design: modern, elegant interiors with new details, fabrics and components. And the night-time wellness will be irresistible: slatted bases on rear beds (where available) and hypo-allergenic mattresses with removable covers. Inside, every detail is designed for your comfort: a 3-burner hob with electric ignition, soft-close drawers, LED guide light ambient lighting and smart solutions such as the incorporated removable bin.



Kilig

Engine
Ford Transit

Displacement
2,0



↔ from 6970
to 7308 mm



↔ from 6449
to 7338 mm



The simple pleasure of travelling well.

COMFORT

Sleep more soundly than at home: hypo-allergenic mattresses with removable covers, slatted bed bases (where available) and front and side driver's cabin blinds as standard. Every detail is designed to make you feel good, always.

TECHNOLOGY

SYNC 4 with 12" touch screen, rear view camera, connected navigation and voice control add high-tech to your adventure. And with the new MEB-300 Smart Energy System, energy is under control, at your fingertips.

DESIGN

Completely renovated interior with modern fabrics, new finishes and elegant details. Kilig's design is not only beautiful to look at, but also practical to use. Clean lines, durable materials, welcoming atmosphere. Every journey starts with style.

CONFIGURATIONS


There is a Kilig for every travelling style. Kilig 77 Plus with double drop-down bed and U-shaped dinette, Kilig 79 Plus and 9 for 7 people, Kilig 50 with double island dinette, bunk beds, and much more. All you have to do is choose the perfect size of freedom for your needs.

SLEEPING AREA

- Transverse bed (Kilig 5 / Kilig 78 Plus)
- Bunk beds (Kilig 9 / Kilig 79 Plus)
- Double bunk beds (Kilig 50)
- Twin beds (Kilig 695 / Kilig 95 Plus)
- Central bed (Kilig 669 / Kilig 66 Plus / Kilig 69 Plus)
- XL Front drop-down bed (Kilig 67 Plus)
- Double drop-down beds (Kilig 77 Plus)








KILIG 5




6 4* 1280x850
(+2 opt) (1080x850 opt)



KILIG 9




7 4* 1150x650
(+2+1 opt)



KILIG 50




6 6* n.1950x1350
n.1950x1150



KILIG 669




5 4* 750x850
(+1 opt) (1150x850 opt)



KILIG 695



5 4* 1050x850
(+1 opt)




KILIG 66 PLUS



4 4* 750x850
(1150x850 opt)

*total berths as standard (including assemblable)




KILIG 67 PLUS



↔
6449x2340



(+2 opt)



KILIG 69 PLUS




↔
7308x2340



(1150x850 opt)

(+1 opt)




KILIG 77 PLUS



↔
6970x2340



(+3 opt)




KILIG 78 PLUS



↔
6758x2340



(+1 opt)




KILIG 79 PLUS



↔
6970x2340




(+2+1 opt)



KILIG 95 PLUS



↔
7308x2340



(+1 opt)

*total berths as standard (including assemblable)


Technical data

KILIG

Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
(121-165 AT on request)



DIMENSIONS AND WEIGHTS	KILIG 5		KILIG 9		KILIG 50	
Wheelbase (mm)	3750		3750		3954	
Outside length (mm)	6970		6970		7285	
Outside width - inside width (mm)			2340 - 2200			
Maximum outside height - inside height (mm)			3040 - 2060			
Thickness of floor - walls - roof (mm)			56 - 30 - 30			
Certified seats	6		7		6	
Maximum overall weight (kg)			3500			
BEDS	KILIG 5		KILIG 9		KILIG 50	
Fixed berths	4		4		6	
Assemblable optional berths	2		2+1		-	
Overcab double bed			1400x2200			
Assemblable single bed centre dinette optional	-		680x1600		-	
Assemblable double bed centre dinette optional			1290x1890		-	
Assemblable double bed rear dinette optional			-		-	
Rear single bed			-		-	
Rear double bed	1300x2200		-		-	
Bunk bed	-		800x2200		n.2 780x2000	
TANKS	KILIG 5		KILIG 9		KILIG 50	
Drinking water (inside)			20 + 65 l.			
Waste water tank			70 l.			
Gas bottle locker			(1+1) x 11:13 kg			
EQUIPMENT	KILIG 5		KILIG 9		KILIG 50	
Gas heater			Combi C4			
Water heater			Combi C4			
Radio			✓			
Cabin swivel seats			✓			
Driver's cabin blackout blind			✓			
Panoramic porthole living area			on request			
Openable panoramic porthole front pod			-			
Fridge			141 l.			
Nr. burners hob			3			
Garage (access door dimensions) H (mm) x W (mm)	1280x850 (1080x850 on request)		1150x650		n.1 950x1350 n.1 950x1150	

Technical data

KILIG

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
(121-165 AT on request)



KILIG 669

KILIG 695



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)		3954
Outside length (mm)		7308
Outside width - inside width (mm)		2340 - 2200
Maximum outside height - inside height (mm)		3040 - 2060
Thickness of floor - walls - roof (mm)		56 - 30 - 30
Certified seats		5
Maximum overall weight (kg)		3500
BEDS		
Fixed berths		4
Assemblable optional berths		1
Overcab double bed		1400x2200
Assemblable single bed centre dinette optional		1040x2200
Assemblable double bed centre dinette optional		-
Assemblable double bed rear dinette optional		-
Rear single bed	-	n.1 800x2100 - n.1 800x1980
Rear double bed	1400x1900	with extension: 1900x2200
Bunk bed		-
TANKS		
Drinking water (inside)		20 + 65 l.
Waste water tank		70 l.
Gas bottle locker		(1+1) x 11:13 kg
EQUIPMENT		
Gas heater		Combi C4
Water heater		Combi C4
Radio		✓
Cabin swivel seats		✓
Driver's cabin blackout blind		✓
Panoramic porthole living area		on request
Openable panoramic porthole front pod		-
Fridge		141 l.
Nr. burners hob		3
Garage (access door dimensions) H (mm) x W (mm)	750x850 (1150x850 on request)	1050x850

Technical data

KILIG


Engine Ford Transit

Displacement 2,0 L


Maximum power 96-130 kW-HP
(121-165 AT on request)




KILIG 66 PLUS



KILIG 67 PLUS



KILIG 69 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3954	3750	3954
Outside length (mm)	7338	6449	7308
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats		4	5
Maximum overall weight (kg)		3500	
BEDS			
Fixed berths	4	2	4
Assemblable optional berths	-	2	1
Assemblable single bed centre dinette optional		-	1040x2200
Assemblable double bed centre dinette optional		1400x2200	-
Assemblable double bed rear dinette optional		-	-
Front drop-down bed	1215x2000	1370x2000	1215x2000
Rear drop-down bed		-	
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		-	
Rear double bed	1400x1900	-	1400x1900
Bunk bed		-	
TANKS			
Drinking water (inside)		20 + 60 l.	
Waste water tank		70 l.	
Gas bottle locker		(1+1) x 11:13 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
Panoramic porthole living area		-	
Openable panoramic porthole front pod		on request	
Fridge		141 l.	
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	750x850 (1150x850 on request)	1050x630	750x850 (1150x850 on request)

Technical data

KILIG

Engine Ford Transit

Displacement 2,0 L




Maximum power 96-130 kW-HP
(121-165 AT on request)



KILIG 77 PLUS

KILIG 78 PLUS

KILIG 79 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3750	
Outside length (mm)	6970	6758	6970
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats		5	7
Maximum overall weight (kg)		3500	
BEDS			
Fixed berths		4	
Assemblable optional berths	3	1	2+1
Assemblable single bed centre dinette optional	1040x2200	1200x2200	680x1600
Assemblable double bed centre dinette optional		-	1290x1890
Assemblable double bed rear dinette optional	1400x2200		-
Front drop-down bed		1215x2000	
Rear drop-down bed	1215x2000		-
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		-	
Rear double bed	-	1450x2200	-
Bunk bed		-	800x2200
TANKS			
Drinking water (inside)		20 + 65 l.	
Waste water tank		70 l.	
Gas bottle locker		(1+1) x 11:13 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
Panoramic porthole living area		-	
Openable panoramic porthole front pod		on request	
Fridge		141 l.	
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	550x700	1050x700	1150x650

Technical data


KILIG 95 PLUS

KILIG

Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
(121-165 AT on request)



DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	3954
Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500
BEDS	
Fixed berths	4
Assemblable optional berths	1
Assemblable single bed centre dinette optional	1040x2200
Assemblable double bed centre dinette optional	-
Assemblable double bed rear dinette optional	-
Front drop-down bed	1215x2000
Rear drop-down bed	-
Drop-down bed maximum static load capacity (kg)	250
Rear single bed	n.1 800x2100 - n.1 800x1980
Rear double bed	with extension: 1900x2200
Bunk bed	-
TANKS	
Drinking water (inside)	20 + 65 l.
Waste water tank	70 l.
Gas bottle locker	(1+1) x 11:13 kg
EQUIPMENT	
Gas heater	Combi C4
Water heater	Combi C4
Radio	✓
Cabin swivel seats	✓
Driver's cabin blackout blind	✓
Panoramic porthole living area	-
Openable panoramic porthole front pod	on request
Fridge	141 l.
Nr. burners hob	3
Garage (access door dimensions) H (mm) x W (mm)	1050x850



**Let the
fun begin.**

SARUS

Let your desire for adventure soar.

Lightweight, versatile and accessible. With 13 models to discover.

Spread your wings of freedom and enjoy camper life anywhere with Sarus. Whether you are a novice or an expert in life en plein air, you will find the solution that best meets your needs among the 13 low-profile and overcab models, including 9 under 7 metres. Move agilely thanks to its redesigned chassis - now even more robust and lightweight - and drive carefree thanks to the "Captain Chair" seats, cruise control and Traction Plus system with hill start assist.

The simple interior elegance of Sarus is designed to last: the kitchen has hard-wearing worktops and soft-close drawers, to make you feel at home. Just like the mattresses with removable covers and the standard front and side driver's cabin blinds for the best night-time comfort. And there's more. Be amazed by the smart details: MEB-300 Smart Energy System as standard, soft-close door, safer and more resistant garage pull handles, removable kitchen bin and LED guide light.



Sarus

Engine
Fiat Ducato

Displacement
2,2L



↔ from 6423
to 7293 mm



from 5
to 6



from 5
to 6+1



↔ from 6423
to 7443 mm



from 4
to 6



from 2
to 6

Free your way of life en plein air.

COMFORT

Sleep like at home with mattresses with removable covers and front and side driver's cabin blinds. Practical and durable kitchen with hard-wearing worktops and soft-close drawers. Comfort you can feel, see and... enjoy for years to come.

TECHNOLOGY

Cruise control, Traction Plus and hill start assist for carefree driving. With Sarus, you have everything under control, thanks to the new MEB-300 Smart Energy System.

DESIGN

Clean lines, durable materials and details that make the difference. From the pivoting wall* in the bathroom to the LED lights in the cabinets: Sarus is functional simplicity that wins you over every day.

CONFIGURATIONS

13 overcab and low-profile models, 9 under 7 metres. From Sarus 50 with bunk beds to Sarus 96 Plus with twin beds and a 141-litre fridge as standard: find the perfect size for you.


SLEEPING AREA

- French bed (Sarus 3 / Sarus 12 P)
- Transverse bed (Sarus 5 / Sarus 8)
- Bunk bed (Sarus 9)
- Double bunk beds (Sarus 50)
- Twin beds (Sarus 695 / Sarus 95 Plus / Sarus 96 Plus)
- Central bed (Sarus 66 Plus / Sarus 68 Plus / Sarus 69 Plus)
- XL front drop-down bed (Sarus 67 Plus)

*where fitted







SARUS 3



6423x2340



6




4*

(+2 opt)



450x1000



SARUS 5



6991x2340



6




4*

(+2 opt)



1280x850
(1080x850 opt)



SARUS 8



6838x2340



5




4*

(+1 opt)



1280x850
(1080x850 opt)



SARUS 9



6964x2340



6

(+1 opt
4400 kg)




4*

(+2+1
opt)



1150x650



SARUS 50



6987x2340




6



6*

n. 2 950x1150



SARUS 695



7293x2340



5




4*

(+1 opt)



1050x750
(850x750 opt)

*total berths as standard (including assemblable)



SARUS**

12 P



6423x2340



6




2*



450x1000

(+4 opt)



SARUS

66 PLUS



7443x2340




4



4*



750x770
(1200x770 opt)



SARUS

67 PLUS



6450x2340



4




2*



1050x630

(+2 opt)



SARUS

68 PLUS



6973x2340



5




4*



750x750

(+1 opt)



SARUS

69 PLUS



7158x2340



5




4*



750x750
(1200x750 opt)

(+1 opt)



SARUS

95 PLUS



7293x2340



5



4*




1050x750
(850x750 opt)

(+1 opt)

*total berths as standard (including assemblable)

**also available with drop-down bed (OPT)



SARUS 96 PLUS



6973x2340



5

4*

1050x850

(+1 opt)



*total berths as standard (including assemblable)



Technical data

SARUS


Engine Fiat Ducato

Displacement 2,2 L


Maximum power 103-140 kW-HP
(132 - 180 on request)




SARUS 3



SARUS 5



SARUS 8



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3800	
Outside length (mm)	6423	6991	6838
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		3050 - 2075	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats		6	5
Maximum overall weight (kg)		3500	
BEDS			
Fixed berths		4	
Assemblable optional berths	2		1
Overcab double bed		1400x2200	
Assemblable single bed centre dinette optional	-		1100x2200
Assemblable double bed centre dinette optional	1290x1890		-
Assemblable double bed rear dinette optional		-	
Rear single bed		-	
Rear double bed	1385x2056	1360x2200	1356x2200
Bunk bed		-	
TANKS			
Drinking water (inside)		20 + 65 l.	
Waste water tank		100 l.	
Gas bottle locker		(1+1) x 11:13 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
Panoramic porthole living area		on request	
Openable panoramic porthole front pod		-	
Fridge		89 l. (141 l. on request)	
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	450x1000		1280x850 (1080x850 on request)

Technical data

SARUS

Engine Fiat Ducato

Displacement 2,2 L




Maximum power 103-140 kW-HP
(132 - 180 on request)



SARUS 9

SARUS 50

SARUS 695



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		4035	
Outside length (mm)	6964	6987	7293
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		3050 - 2075	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats	6 (+1 opt 4400 kg)	6	5
Maximum overall weight (kg)		3500	
BEDS			
Fixed berths	4	6	4
Assemblable optional berths	2+1	-	1
Overcab double bed		1400x2200	
Assemblable single bed centre dinette optional	680x1430	-	1100x2200
Assemblable double bed centre dinette optional	1290x1890		-
Assemblable double bed rear dinette optional		-	
Rear single bed		-	n.1 800x1975 - n.1 750x2040
Rear double bed		-	with extension: 1900x2200
Bunk bed	810x2200	n.2 710x1900	-
TANKS			
Drinking water (inside)		20 + 65 l.	
Waste water tank		100 l.	
Gas bottle locker		(1+1) x 11:13 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
Panoramic porthole living area		on request	
Openable panoramic porthole front pod		-	
Fridge	141 l.		89 l. (141 l. on request)
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	1150x650	n.2 950x1150	1050x750 (850x750 on request)

Technical data

SARUS

Engine Fiat Ducato

Displacement 2,2 L




Maximum power 103-140 kW-HP
(132 - 180 on request)



SARUS 12 P **

SARUS 66 PLUS

SARUS 67 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3800	4035	
Outside length (mm)	6423	7443	6450
Outside width - inside width (mm)	2340 - 2200		
Maximum outside height - inside height (mm)	2940 - 2075		
Thickness of floor - walls - roof (mm)	56 - 30 - 30		
Certified seats	6	4	
Maximum overall weight (kg)	3500		
BEDS			
Fixed berths	2	4	2
Assemblable optional berths	4	-	2
Assemblable single bed centre dinette optional	-		
Assemblable double bed centre dinette optional	1290x1890	-	1400x2200
Assemblable double bed rear dinette optional	-		
Front drop-down bed	1380x2000 (opt)	1220x2000	1370x2000
Drop-down bed maximum static load capacity (kg)	250		
Rear single bed	-		
Rear double bed	1385x2056	1400x1900	-
Bunk bed	-		
TANKS			
Drinking water (inside)	20+65 l.	20+60 l.	
Waste water tank	100 l.		
Gas bottle locker	(1+1) x 11:13 kg		
EQUIPMENT			
Gas heater	Combi C4		
Water heater	Combi C4		
Cabin swivel seats	✓		
Driver's cabin blackout blind	✓		
Panoramic porthole living area	on request	-	
Openable panoramic porthole front pod	on request		
Fridge	89 l. (141 l. on request in the version without drop-down bed)	141 l.	
Nr. burners hob	3		
Garage (access door dimensions) H (mm) x W (mm)	450x1000	750x770 (1200x770 on request)	1050x630

**also available with drop-down bed (OPT)

Technical data

SARUS

Engine Fiat Ducato

Displacement 2,2 L




Maximum power 103-140 kW-HP
(132 - 180 on request)



SARUS 68 PLUS

SARUS 69 PLUS

SARUS 95 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3800	4035	
Outside length (mm)	6973	7158	7293
Outside width - inside width (mm)	2340 - 2200		
Maximum outside height - inside height (mm)	2940 - 2075		
Thickness of floor - walls - roof (mm)	56 - 30 - 30		
Certified seats	5		
Maximum overall weight (kg)	3500		
BEDS			
Fixed berths	4		
Assemblable optional berths	1		
Assemblable single bed centre dinette optional	1050x2200	1100x2200	
Assemblable double bed centre dinette optional	-		
Assemblable double bed rear dinette optional	-		
Front drop-down bed	1220x2000		
Drop-down bed maximum static load capacity (kg)	250		
Rear single bed	-	n.1 800x1975 - n.1 750x2040	
Rear double bed	1400x1880	1400x1900	with extension: 1900x2200
Bunk bed	-		
TANKS			
Drinking water (inside)	20 + 65 l.		
Waste water tank	100 l.		
Gas bottle locker	(1+1) x 11:13 kg		
EQUIPMENT			
Gas heater	Combi C4		
Water heater	Combi C4		
Cabin swivel seats	✓		
Driver's cabin blackout blind	✓		
Panoramic porthole living area	-		
Openable panoramic porthole front pod	on request		
Fridge	141 l.	89 l. (141 l. on request)	
Nr. burners hob	3		
Garage (access door dimensions) H (mm) x W (mm)	750x750	750x750 (1200x750 on request)	1050x750 (850x750 on request)

Technical data


SARUS 96 PLUS

SARUS

Engine Fiat Ducato

Displacement 2,2 L

Maximum power 103-140 kW-HP
(132-180 on request)



DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	3800
Outside length (mm)	6973
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500
BEDS	
Fixed berths	4
Assemblable optional berths	1
Assemblable single bed centre dinette optional	1050x2200
Assemblable double bed centre dinette optional	-
Assemblable double bed rear dinette optional	-
Front drop-down bed	1220x2000
Drop-down bed maximum static load capacity (kg)	250
Rear single bed	n.1 750x1947 - n.1 750x1822
Rear double bed	with extension: 1500x2200
Bunk bed	-
TANKS	
Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Gas bottle locker	(1+1) x 11:13 kg
EQUIPMENT	
Gas heater	Combi C4
Water heater	Combi C4
Cabin swivel seats	✓
Driver's cabin blackout blind	✓
Panoramic porthole living area	-
Openable panoramic porthole front pod	on request
Fridge	141 l.
Nr. burners hob	3
Garage (access door dimensions) H (mm) x W (mm)	1050x850



**A flame that
keeps on burning.**

SUPER BRIG & SAILER

Travel with the wind in your sails.

Luxury and a nautical feeling in the low profile and overcab version.

Cruise the streets in style, just like on a classy boat. Super Brig and Sailer, in the overcab and low-profile configurations respectively, are back in their best-ever versions, with a new, contemporary interior design. There is lots of technology on board, starting with the new MEB-300 Smart Energy System with remote control from a smartphone app, as well as a new, redesigned, more resistant and lighter chassis, a new ceiling with Vetroskin cladding and new electrically controlled drop-down beds.

Don't compromise, there are many configurations available. Super Brig 677 TC makes a historic comeback with up to 6 comfortable berths. The Suite model invites you to enjoy every moment with its double dinette and spacious kitchen with combi-oven with grill and hob. Meanwhile, Sailer 56 Plus greets you with top-of-the-range comfort, including an inverter and coffee machine as standard. Lots of models to explore, to travel in style.



Super Brig



↔ from 6968 to 7308 mm

Engine
Ford Transit

Displacement
2,0L

 from 4 to 5
  from 4 to 6

Sailer



↔ from 6958 to 7338 mm

 from 4 to 5
  from 2 to 5

Move in style.

COMFORT

On-board comfort worthy of a flagship vehicle: beds with slatted bases, hypo-allergenic mattresses with removable covers, front and side driver's cabin blinds as standard and a bathroom with solid shower door. Travelling has never been so relaxing.

TECHNOLOGY

The new MEB-300 system manages energy and charging in a smart and connected way. Control and adjust the new LED lights and inverter from your smartphone using the app and Bluetooth technology: every detail is designed to make your life easier.

DESIGN

Nautical-inspired style, contemporary interiors with new laminates, Vetroskin ceilings and elegant finishes. Super Brig and Sailer have a sophisticated look worthy of a true flagship vehicle, without making sacrifices.

CONFIGURATIONS


Super Brig 677 TC with 6 berths. Super Brig Suite with double dinette and kitchen with oven and grill (also available on Super Brig 687 TC and Sailer 87 Plus). Sailer 55 Plus with face-to-face dinette. Sailer 56 Plus has a real living space with rear L-shaped kitchen, inverter and coffee machine included. And much more.

SLEEPING AREA



- Transverse bed (Super Brig 687 TC / Super Brig 677 TC / Sailer 55 Plus / Sailer 87 Plus)
- Twin bed (Super Brig 695 TC / Sailer 95 Plus)
- Rear suite bed (Super Brig Suite)
- XL Front drop-down bed (Sailer 56 Plus)
- Central bed (Sailer 69 Plus)









SUPER BRIG 677 TC




SUPER BRIG 687 TC




SUPER BRIG 695 TC



SUPER BRIG SUITE



*total berths as standard (including assemblable)




SAILER 55 PLUS



7338x2340



4 4* 1150x850




SAILER 56 PLUS








6958x2340




4 2* 1050x650
 (+2 opt)









SAILER 69 PLUS



7308x2340



4 4* 750x850
 (+1 opt) (+1 opt) (1150x850 opt)








SAILER 87 PLUS



6968x2340



4 4* 1280x850
 (+1 opt) (+1 opt) (1080x850 opt)



SAILER 95 PLUS



7308x2340



4 4* 1050x850
 (+1 opt) (+1 opt)

*total berths as standard (including assemblable)

Technical data

SUPER BRIG

Engine Ford Transit

Displacement 2.0 L




Maximum power 96-130 kW-HP
(121-165 on request)



SUPER BRIG 677 TC

SUPER BRIG 687 TC

SUPER BRIG 695 TC



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3750	
Outside length (mm)	6970		6968
Outside width - inside width (mm)			2340 - 2200
Maximum outside height - inside height (mm)			3080 - 2060
Thickness of floor - walls - roof (mm)			56 - 30 - 30
Certified seats	5		4 (+1 opt)
Maximum overall weight (kg)			3500
BEDS			
Fixed berths			4
Assemblable optional berths	2		1
Overcab double bed			1400x2200
Assemblable single bed centre dinette optional	-		1040x2200
Assemblable double bed centre dinette optional	1290x1890		-
Assemblable double bed rear dinette			-
Rear single bed			n.1 800x2107 - n. 1 800x1988
Rear double bed		1300x2200	with extension: 1400x2200
Bunk bed			-
TANKS			
Drinking water (inside)			20+65 l.
Waste water tank			70 l.
Antifreeze tank			✓
Gas bottle locker			(1+1) x 11:13 kg
EQUIPMENT			
Gas heater			Combi C6
Water heater			Combi C6
Radio			✓
Cabin swivel seats			✓
Driver's cabin blackout blind			✓
Panoramic porthole living area			✓
Openable panoramic porthole front pod			✓
Fridge			141 l.
Extractor hood			✓
Nr. burners hob			3
Oven	on request		✓
Garage (access door dimensions) H (mm) x W (mm)		1280x850 (1080x850 on request)	1050x850
Entrance door with fly screen			✓
TV-holder			✓
Cabin seat covers			✓
Parking feet			✓
Outside entrance door lamp			✓

Technical data


SUPER BRIG SUITE

SUPER BRIG

Engine Ford Transit

Displacement 2.0 L

Maximum power 96-130 kW-HP
(121-165 on request)



DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	3750
Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4 (+1 opt)
Maximum overall weight (kg)	3500
BEDS	
Fixed berths	2
Assemblable standard berths	2
Assemblable optional berths	1
Overcab double bed	1400x2200
Assemblable single bed centre dinette optional	1040x2200
Assemblable double bed centre dinette	-
Assemblable double bed rear dinette	1400x2200
Rear single bed	-
Rear double bed	-
Bunk bed	-
TANKS	
Drinking water (inside)	20+65 l.
Waste water tank	70 l.
Antifreeze tank	✓
Gas bottle locker	(1+1) x 11:13 kg
EQUIPMENT	
Gas heater	Combi C6
Water heater	Combi C6
Radio	✓
Cabin swivel seats	✓
Driver's cabin blackout blind	✓
Panoramic porthole living area	✓
Openable panoramic porthole front pod	✓
Fridge	141 l.
Extractor hood	✓
Nr. burners hob	3
Oven	✓
Garage (access door dimensions) H (mm) x W (mm)	550x700
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓

Technical data

SAILER


Engine Ford Transit

Displacement 2.0 L


Maximum power 96-130 kW-HP
(121-165 on request)




SAILER 55 PLUS



SAILER 56 PLUS



SAILER 69 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3954	
Outside length (mm)	7338	6958	7308
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats		4	4 (+1 opt)
Maximum overall weight (kg)		3500	
BEDS			
Fixed berths	4	2	4
Assemblable optional berths	-	2	1
Assemblable single bed centre dinette optional			1040x2200
Assemblable double bed centre dinette optional		1400x2200	-
Assemblable double bed rear dinette		-	
Front drop-down bed	1215x2000	1370x2000	1215x2000
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		-	
Rear double bed	1355x2200	-	1400x1900
Bunk bed		-	
TANKS			
Drinking water (inside)		20+60l.	20+65l.
Waste water tank		70l.	
Antifreeze tank		✓	
Gas bottle locker		(1+1) x 11:13 kg	
EQUIPMENT			
Gas heater		Combi C6	
Water heater		Combi C6	
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
Panoramic porthole living area		✓	
Openable panoramic porthole front pod		✓	
Fridge		141 l.	
Extractor hood		✓	
Nr. burners hob		3	
Oven		on request	
Garage (access door dimensions) H (mm) x W (mm)	1150x850	1050x650	750x850 (1150x850 on request)
Entrance door with fly screen		✓	
TV-holder		✓	
Cabin seat covers		✓	
Parking feet		✓	
Outside entrance door lamp		✓	

Technical data

SAILER

Engine Ford Transit


Displacement 2.0 L

Maximum power 96-130 kW-HP
(121-165 on request)



SAILER 87 PLUS

SAILER 95 PLUS



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)	3750	3954
Outside length (mm)	6968	7308
Outside width - inside width (mm)		2340 - 2200
Maximum outside height - inside height (mm)		2845 - 2060
Thickness of floor - walls - roof (mm)		56 - 30 - 30
Certified seats		4 (+1 opt)
Maximum overall weight (kg)		3500
BEDS		
Fixed berths		4
Assemblable optional berths		1
Assemblable single bed centre dinette optional		1040x2200
Assemblable double bed centre dinette		-
Assemblable double bed rear dinette		-
Front drop-down bed		1215x2000
Drop-down bed maximum static load capacity (kg)		250
Rear single bed		n.1 800x2107 - n.1 800x1988
Rear double bed	1300x2200	with extension: 1400x2200
Bunk bed		-
TANKS		
Drinking water (inside)		20+65 l.
Waste water tank		70 l.
Antifreeze tank		✓
Gas bottle locker		(1+1) x 11:13 kg
EQUIPMENT		
Gas heater		Combi C6
Water heater		Combi C6
Radio		
Cabin swivel seats		✓
Driver's cabin blackout blind		✓
Panoramic porthole living area		✓
Openable panoramic porthole front pod		✓
Fridge		141 l.
Extractor hood		✓
Nr. burners hob		3
Oven	✓	on request
Garage (access door dimensions) H (mm) x W (mm)	1280x850 (1080x850 on request)	1050x850
Entrance door with fly screen		✓
TV-holder		✓
Cabin seat covers		✓
Parking feet		✓
Outside entrance door lamp		✓



**One big family.
In the best moments of your
life, always by your side.**

Information about the weights

Mass in running order

The mass in running order of the type-approved vehicle includes: driver, fuel tank filled to 90% of its capacity, clean water tank filled to 20 l (using the special discharge valve) and gas cylinders (max. 15 kg) filled to 90% of their capacity.

The calculated mass in running order has a tolerance of +/- 5% compared to that of point (b) defined at the time of type-approval. Everything not included in the vehicle's standard version, both living pod and chassis, increases the weight in running order with the consequent reduction in the useful load up to the possible reduction of the total number of belted seats compared the type-approved ones.

The available useful load is the difference between the maximum mass permitted with full load and the mass in running order plus the weight of the passengers. It is therefore advisable at the time of purchase to pay special attention to the weight of the optionals you intend to install on the vehicle.

Overall mass

The overall mass is the total mass of the vehicle that must not be exceeded.

Potable water tank while driving

The clean water tank must contain 20 litres of water, using the supplied discharge taps, when the vehicle is in running order.

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.

World sweet home



Continue your trip with Rimor online. Follow all our activities on our blog, Facebook and Instagram. Share all your adventures with us on social media with #Rimor



www.rimor.it

