



Motorhomes Catalogue 2022-23

RIMOR





World sweet home

The world is your new address

Let new discoveries and adventures get your imagination started. With Rimor, the whole world is now your home. We have been building motorhomes and vans for over 40 years, taking inspiration from the place closest to us to make sure you're as comfortable as possible. Functional and welcoming, spacious and comfortable, vehicles that are a true expression of design and all-Italian production.

Rediscover freedom of movement at the seaside and in the mountains, in the city and the countryside. With Rimor motorhomes and vans you'll feel at home, wherever you choose to go.

Your compass

Find the Rimor that suits you best with our handy map

How to find the vehicle that best reflects your idea of outdoor life and turn it into reality? Get help with this handy map. You can choose the Rimor range that best meets your needs, quickly comparing the number of beds available, the number of homologated seats, the total length of the vehicle and the engine.

legend



low-profil



number of models



certified seats



overcab



outside length



berths

KILIG

Engine
Ford Transit

Displacement
2,0 L



↔ from 5953
to 7338 mm



from 4
to 5



from 2
to 4



↔ from 5953
to 7308 mm



from 4
to 6



from 4
to 6

EVO

Engine
Ford Transit

Displacement
2,0 L



↔ from 6970
to 7338 mm



from 4
to 5



from 4
to 5



↔ 6970 mm



6



from 6
to 7

SEAL

Engine
Fiat Ducato

Displacement
2,2 L



↔ from 6450
to 7443 mm



from 4
to 6



from 4
to 6



↔ from 6483
to 7353 mm



from 5
to 7



from 6
to 6+1

SUPER BRIG

Engine
Fiat Ducato

Displacement
2,2 L



↔ from 7173 to
7373 mm



4



4



↔ from 7173 to
7373 mm



4



4



Guided by experience

Comfort and functionality for all our models

Numerous ranges, loads more models, but many common features, starting with reliability and functionality, the result of construction techniques tested over time. Our choice of the best solutions to guarantee you maximum comfort is guided by our experience, all under the banner of Italian craftsmanship.

- **Motorhome living areas designed without a single step**
- **High-comfort tables that can be moved in all directions**
- **220/230 V outlets** in both the kitchen and the bathroom
- **New sliding blind with integrated fly-screen**
- **100% LED lighting**
- **Standard supply solid shower door**
- **Spacious beds, up to 220 cm long, with wooden slatted bases**
- **High-density comfort mattresses** with removable covers which are anatomical and hypo-allergenic
- **Overcab bed with pneumatic slatted base**
- **Side guard for high beds, bunk beds, drop-down beds and overcab beds**
- **Wall units with damper hinges**
- **10mA residual current circuit breaker**



Love at first sight

Every trip, the knowledge of having made the right choice

Kilig is an unbridled passion, like when you find yourself face to face with something you love deeply: a new destination, a panorama to remember or a companion of many adventures on the road. The new Rimor range takes its name from a Philippine word that describes this all-embracing and gratifying feeling.

With Kilig you can have great fun every day. Starting from the quality/price ratio and the models designed for every need: first of all there is the new length of less than 6 metres - Kilig 4 and 18 Plus, for maximum manoeuvrability and convenience when travelling by ferry, motorway and in parking places - and then there is the spacious comfort of Kilig 50 with two bunk beds and family-size dinette, Kilig 67 Plus, without fixed bed with XL front drop-down bed and walk-in wardrobe, and Kilig 66 Plus with central bed and face-to-face dinette. Can you already feel the butterflies in your tummy for your next trip? It's the Kilig effect.



Transverse bed

KILIG 4

KILIG 5

Bunk beds

KILIG 9

Double bunk beds

KILIG 50

Central bed

KILIG 669

Twin beds

KILIG 695



Transverse bed

KILIG 18 PLUS

Central bed

KILIG 66 PLUS

KILIG 69 PLUS

XL Front drop-down bed

KILIG 67 PLUS

Twin beds


KILIG 95 PLUS

Intelligent design that excites

Kilig has many smart solutions. Its design is in the spirit of practicality and robustness, combining form and function. An example? The detail of the multi-purpose, dual-use magnetic kitchen panel, both during the preparation of meals and to organise your kitchen utensils. But besides this, you will also love the colour and fabric combinations, and the driver's cabin of the profile models with luggage compartment incorporated in the fairing, with automotive soft touch fabric finish.

The choice of lay-out is dedicated to all types of travellers. You will find the ideal bed for your needs: twin beds, bunk beds, central bed, transverse bed, and electrically controlled XXL front drop-down bed. Then there is the in-depth study of the exterior, such as the design of the fairing of the new concept profile models, flush with the sides to optimise the aerodynamics.

- 1 **Adjustable car headrests** (except Kilig 66 Plus and 67 Plus)
- 2 **Kitchen sink with lid and folding mixer tap**



- ③ **Multi-purpose magnetic kitchen panel**
- ④ **Slim 141 L fridge** on all models
- ⑤ **High-density comfort mattresses** with removable covers which are anatomical and hypo-allergenic, just like at home



- 6 **Openable skyview** (optional)
- 7 **Entrance door with storage pockets** (optional window)
- 8 **Drop-down bed with incorporated motor** and safety locking system standard supply on all low-profile models



9 **Isofix attachment points**
(optional)

10 **On the profiled models, the driver's cabin is incorporated in the living area**, with fairing upholstered in soft touch fabric



Other features: Combi Gas heating with standard supply CP Plus digital control unit, panoramic windows with practical sliding opening handle (standard throughout the whole range), toilet with separate shower cubicle and solid shower door (except on Kilig 50), Easyroad dinette in the face-to-face models (each of the two bench seats can be quickly transformed into comfortable travel seats), easy access cell entrance with internal step, interior surfaces in easy to wash fibreglass, LED rear guide lights, Additional bed kit, dinette with ergonomic, easily adaptable cushions (optional)

Living area



L-shaped dinette



double dinette island



double dînette



face-to-face dinette



compact dinette



front/rear facing dinette

Sleeping area



central bed



twin beds



transverse bed



XL front drop-down bed



bunk bed



double bunk beds

Kitchen



long kitchen



long kitchen




compact kitchen


Bathroom



separate toilet and shower cubicle



toilet and shower cubicle + side-integrated washbasin



single unit with shower alongside toilet

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



KILIG₄

5953x2340 mm



 4  4  1

 1000 x 650





KILIG₅

6970x2340 mm



 6  4  2

 1280 x 850
(1080 x 850 on request)





KILIG₉

6970x2340 mm



 6  4  2

 1150 x 650




 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)






KILIG 50

7286x2340 mm



 6  6  0

 n.1 950 x 1350
n.1 950 x 1150






KILIG 669

7308x2340 mm



 5  4  1

 750 x 850
(1150 x 850 on request)



KILIG 695

7308x2340 mm



 5  4  1

 1050 x 850

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

KILIG 18 PLUS

5953x2340 mm



4





4



1



1000 x 650



KILIG 66 PLUS

7338x2340 mm



4





4



0



750 x 850
(1150 x 850 on request)



KILIG 67 PLUS

6449x2340 mm



4





2



2




1050 x 630





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



KILIG 69 PLUS

7308x2340 mm



5





4



1



750 x 850
(1150 x 850 on request)



KILIG 95 PLUS

7308x2340 mm



5



4



1



1050 x 850

KILIG

Technical data



Technical data

KILIG
4



5953x2340 mm



4




4



1



1000 x 650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3300
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	5953
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	920x2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1230x2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	73 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1000 x 650
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
5



6970x2340 mm



6




4



2



1280 x 850
(1080 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Front drop-down bed	-
Rear single bed	-
Rear double bed	1300x2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
9



6970x2340 mm



6





4



2



1150 x 650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	800x2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1150 x 650
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
50



7286x2340 mm



6




6



0



n.1 950 x 1350
n.1 950 x 1150



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7286
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths (opt)	0
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	n.2 780 x 2000
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	n.1 950 x 1350
H (mm) x W (mm)	n.1 950 x 1150
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
669



7308x2340 mm



5




4



1



750 x 850
(1150 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	1040X2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1400x1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
695



7308x2340 mm



5




4



1



1050 X 850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	1430x2200
Centre dinette single bed	1040x2200
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	n.1 800 x 2025 n.1 800 x 2100
Rear double bed	with extension: 1400 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 850
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

KILIG
18 PLUS



5953x2340 mm



4




4



1



1000 x 650



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3300
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130 *
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	5953
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	920x2200
Centre dinette double bed	-
Front drop-down bed	980x2000
Rear single bed	-
Rear double bed	1230x2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	73 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1000 x 650
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

KILIG
66 PLUS



7338x2340 mm



4




4



0



750 x 850
(1150 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130 *
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7338
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	0
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 59 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

KILIG
67 PLUS



6449x2340 mm



4




2



2



1050 x 630



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130 *
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6449
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	2
Assemblable berths (opt)	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1400 x 2200
Front drop-down bed	1379 x 2000
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 59 l.
Waste water tank	73 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 630
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

KILIG
69 PLUS



7308x2340 mm



5




4



1



750 x 850
(1150 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130 *
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	1040 X 2200
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

KILIG
95 PLUS



7308x2340 mm



5




4



1



1050 x 850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130 *
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths (opt)	1
Overcab double bed	-
Centre dinette single bed	1040 X 2200
Centre dinette double bed	-
Front drop-down bed	1215 x 2000
Rear single bed	n.1 800 x 2025 n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 850
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	on request
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Evo



The new step in the evolution

Your way of living en plein air steps up a gear

Evo is the most innovative expression of the Rimor tradition. Sporty lines, practical solutions and a modern design make Evo the ideal range for any destination. From the mountains to the sea, the countryside to the city, you will be able to appreciate the high-quality features and comfortable drive, not to mention all the customisation options.

There are two overcab versions under 7 metres – the surprising Evo Sound with 6 homologated seats and 7 beds, and the Evo 5 with the largest garage in its category. Then there is the unique-in-class Evo 77 Plus, with double dinette and double drop-down bed. The Evo 69 Plus has a central bed just like the one you've got at home, and the Evo 95 Plus has twin beds that convert into a spacious king-size.



Transverse bed
EVO 5

Bunk bed
EVO SOUND



Central bed
EVO 66 PLUS
EVO 69 PLUS

Two drop-down beds
EVO 77 PLUS

Twin beds
EVO 95 PLUS

Innovation is already on the march with Evo

New generation, further evolution. Starting with the dressed-to-impress look of the interior, refined style and design elements, like the kitchen panelling and shower cubicle. New innovations made to the living areas of Evo 69 Plus and 95 Plus and to the bathroom areas of Evo 66 Plus and 69 Plus give you maximum liveability. The exterior has an extra gear too, with the new living area panoramic window with practical sliding opening handle throughout the whole range and the new LED rear guide lights.

- 1 **Ergonomic dinette seats** with adjustable headrests
- 2 **Kitchen sink with lid and folding mixer tap**
- 3 **New living area panoramic window** with practical sliding opening handle



- 4 Adjustable spotlights
- 5 Slim 141 L fridge with automatic switch system as standard
- 6 Storage system with elastic straps which adapt to all your storage needs



- 7 Floor with tile design
- 8 Door with outdoor LED ceiling light as standard
- 9 Isofix attachment points (optional)
- 10 Openable skyview (optional)



7



8



9



10

- 11 Exclusive layout with double dinette and double dropdown bed



Other features: standard front drop-down bed in all profile models, Combi Gas heating with standard supply CP Plus digital control unit, curved doors with damper hinges, bathroom door with frame, overcab bed with pneumatic slatted base, new LED light guide rear lights.

Living area



L-shaped dinette



double dinette



front + rear dinette



face-to-face dinette


Sleeping area



central bed



double drop-down beds



transverse bed



bunk bed



twin beds

Kitchen




long kitchen



compact kitchen



Bathroom



single unit with shower
alongside toilet



separate toilet and shower cubicle




toilet and shower cubicle +
side-integrated washbasin

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

EVO 5

6970x2300 mm



6



6




2



1280 x 850

(1080 x 850 on request)



EVO SOUND

6970x2300 mm



6



7



3



950 x 1350



EVO 66 PLUS

7338x2300 mm



4



4





0



750 x 850


(1150 x 850 on request)





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



EVO 69 PLUS

7308x2300 mm



5





5



1



750 x 850
(1150 x 850 on request)



EVO 77 PLUS

6970x2300 mm



5





5



1



550 x 700



EVO 95 PLUS

7308x2300 mm



5



5



1



1050 x 850

EVO

Technical data



Technical data

EVO
5



6970x2340 mm



6




6



2



1280 x 850
(1080 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1430x2200
Centre dinette single bed	-
Centre dinette double bed	1290x1890
Double bed rear sitting area	-
Front drop-down bed	-
Rear drop-down bed	-
Rear single bed	-
Rear double bed	1300x2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

EVO
SOUND



6970x2340 mm



6



7



3



950 x 1350



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3040 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	7
Assemblable berths	3
Overcab double bed	1430x2200
Centre dinette single bed	660x1594
Centre dinette double bed	1290x1890
Double bed rear sitting area	-
Front drop-down bed	-
Rear drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	785 x 1900
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	-
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	950 x 1350
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV engine is available on request

Technical data

EVO
66 PLUS



7338x2340 mm



4




4



0



750 x 850
(1150 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7338
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear drop-down bed	-
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 59 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

EVO
69 PLUS



7308x2340 mm



5




5



1



750 x 850
(1150 x 850
on request)



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1040x2200
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215x2000
Rear drop-down bed	-
Rear single bed	-
Rear double bed	1400x1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1150 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

EVO
77 PLUS



6970x2340 mm



5





5



1



550 x 700



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3750
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	750 x 2200
Centre dinette double bed	-
Double bed rear sitting area	on request (1400 x 2200)
Front drop-down bed	1215 x 2000
Rear drop-down bed	1215 x 2000
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	550 x 700
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request

Technical data

EVO
95 PLUS



7308x2340 mm



5




5



1



1050 x 850



MECHANICAL UNIT

Engine	Ford Transit
Wheelbase (mm)	3954
Displacement (L)	2,0
Maximum power (kW-HP)	96 - 130*
Radio MP3	✓

DIMENSIONS AND WEIGHTS

Outside length (mm)	7308
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2845 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1040x2200
Centre dinette double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215x2000
Rear drop-down bed	-
Rear single bed	n.1: 800x2025 n.1: 800x2100
Rear double bed	with extension: 1400x2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	120 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 850
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Ford Transit 114 kW - 155 CV and 125 kW - 170 CV engine is available on request



SEAL



You're just one step away from your dreams

Made-to-measure life in the open air

With 16 models to choose from, either low profile or overcab, and lots of customisation options, Seal is the perfect starting point for your new adventures in the open air. Thanks to the choice of lengths between 6.4 metres and 7.4 metres, opting for compactness or loads of extra space is entirely up to you. The same goes for the wide range of bedding options as well.

An example? The two sub-7-metre profile versions, Seal 12 P and 98 P, without drop-down bed, offer everyone a living area best suited to their needs. To make sure your trips are always comfortable and closer to your dreams.



French bed
SEAL 3

Transverse bed
SEAL 5
SEAL 8

Bunk beds
SEAL 9

Double bunk beds
SEAL 50

Twin beds
SEAL 695



French bed
SEAL 12 P
SEAL 12 PLUS

Central bed
SEAL 66 PLUS
SEAL 68 PLUS
SEAL 69 PLUS

Twin beds
SEAL 95 PLUS
SEAL 98 P
SEAL 98 PLUS
SEAL 99 PLUS

XL Front drop-down bed
SEAL 67 PLUS

Let yourself be swept away by a new idea of comfort

Seal takes you wherever you want to go so you can enjoy yourself to the full just a step away from where you want to be. The Easyroad face-to-face dinettes have a new configuration system that allows you to transform the comfy seats into homologated ones in an even more practical and rapid way. To each their own: Seal 67 Plus, without fixed bed with XL front drop-down bed and walk-in wardrobe in only 6.5 metres; Seal 9, overcab model with bunk bed and 7 homologated seats; Seal 50, exclusive overcab model with double bunk bed and family-size dinette. These are just a few of the many possibilities available to give you maximum liveability.

- 1 **Wall units with decorative 3D-touch effect** and push-pull opening system
- 2 **Kitchen with 3-burner hob and sink with lid**



3 Overcab with pneumatic
slatted bases

4 Decorative kitchen panel
made of easy-to-clean,
foodsafe material



- 5 Isofix attachment points (optional)
- 6 Padded panel under overcab
- 7 Quilted upholstery combined with microfibre (durable, washable and water-repellent)



- 8 New door with outdoor LED ceiling light as standard
- 9 Entrance panel equipped with storage pockets (and integrated LED)



Other features: Combi Gas heating with CP Plus digital control unit as standard, openable Skyview (optional), panoramic windows with comfortable sliding opening handle (standard on the whole range), toilet with separate shower cubicle and rigid shower door (except on Seal 50), Easyroad dinette in the face-to-face models (each of the two bench seats can be quickly transformed into comfortable travel seats), easy access entrance with internal step, front drop-down bed as standard on all Plus models.

Living area



L-shaped dinette



double dînette island



double dinette



face-to-face dinette



front/rear facing dinette

Sleeping area





XL front drop-down bed



bunk bed



double bunk beds

Kitchen



Bathroom



single unit with shower alongside toilet



full-width with closet



separate toilet and shower cubicle



single unit with shower in back

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL³

6483x2340 mm



6





6



2



450 x 1000



SEAL⁵

7153x2340 mm



6




6



2



1280 x 850
(1080 x 850 on request)



SEAL⁸

6838x2340 mm



5




6



2



1280 x 850
(1080 x 850)



 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

*+1 extra bed



SEAL
9

7303x2340 mm



 7  6+1  2+1*

 1300 x 700





SEAL
50

7343x2340 mm



 6  6  0

 950 x 1350



SEAL
695

7353x2340 mm



 5  6  2

 1050 x 750

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL 12 P

6483x2340 mm



6





4



2



450 x 1000



SEAL 12 PLUS

6483x2340 mm



6





6



2



450 x 1000



SEAL 66 PLUS

7443x2340 mm



4





4



0



750 x 770
(1200 x 770 on request)





 certified seats

 berths



 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)





SEAL 67 PLUS

6450x2340 mm




SEAL 68 PLUS

6973x2340 mm



SEAL 69 PLUS

7353x2340 mm



 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SEAL 95 PLUS

7353x2340 mm



5





5



1



1050 x 750



SEAL 98 P

6868x2340 mm



5





3



1



1050 x 850



SEAL 98 PLUS

6868x2340 mm



5





5



1



1050 x 850





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)



SEAL 99 PLUS

7443x2340 mm



4



4



0



1050 x 750

SEAL

Technical data



Technical data

SEAL
3

FIAT
PROFESSIONAL



6483x2340 mm



6





6



2



450x1000



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6483
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	450 x 1000
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
5

FIAT
PROFESSIONAL



7153x2340 mm



6




6



2



1280x850
(1080x850
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7153
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
8

FIAT
PROFESSIONAL



6838x2340 mm



5



6



2



1280x850
(1080x850)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6838
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1100 x 2200
Front drop-down bed	-
Rear single bed	-
Rear double bed	1356 x 2200
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
9

FIAT
PROFESSIONAL



7303x2340 mm



7




6+1



2+1*



1300x700



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7303
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	7
Maximum overall weight (kg)	3500

BEDS

Berths	6 + 1
Assemblable berths	2+1
Overcab double bed	1460 x 2200
Centre dinette single bed	680 x 1430
Centre dinette double bed	1250 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	920 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1300 x 700
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
50

FIAT
PROFESSIONAL



7343x2340 mm



6



6



0



950x1350



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7343
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	-
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Bunk bed	n.2: 710 x 2000
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	950 x 1350
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
695

FIAT
PROFESSIONAL



7353x2340 mm



5




6



2



1050x750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3050 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	1460 x 2200
Centre dinette single bed	-
Centre dinette double bed	1100x2200
Front drop-down bed	-
Rear single bed	n.1: 810 x 1975 n.1: 750 x 2040
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 750
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
12 P

FIAT
PROFESSIONAL



6483x2340 mm



6





4



2



450 x 1000



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6483
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	-
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions) H (mm) x W (mm)	450 x 1000
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
12 PLUS

FIAT
PROFESSIONAL



6483x2340 mm



6





6



2



450 x 1000



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6483
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	6
Maximum overall weight (kg)	3500

BEDS

Berths	6
Assemblable berths	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1240 x 1880
Front drop-down bed	1380 x 2000
Rear single bed	-
Rear double bed	1385 x 2056
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	on request
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l.
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions)	450 x 1000
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
66 PLUS

FIAT
PROFESSIONAL



7443x2340 mm



4




4



0



750 x 770
(1200 x 770
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7443
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	750 x 770
H (mm) x W (mm)	(1200 x 770 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
67 PLUS

FIAT
PROFESSIONAL



6450x2340 mm



4




4



2



1050 x 630



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6450
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	2
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	1400 x 2200
Front drop-down bed	1370 x 2000
Rear single bed	-
Rear double bed	-
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions)	1050 x 630
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
68 PLUS

FIAT
PROFESSIONAL



6973x2340 mm



5





5



1



750 x 750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6973
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1050 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Rear single bed	-
Rear double bed	1400 x 1880
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
69 PLUS

FIAT
PROFESSIONAL



7353x2340 mm



5




5



1



750 x 750
(1200 x 750
on request)



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1100 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Rear single bed	-
Rear double bed	1400 x 1900
Bunk bed	-
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	750 x 750 (1200 x 750 on request)
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
95 PLUS

FIAT
PROFESSIONAL



7353x2340 mm



5




5



1



1050 x 750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7353
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1100 x 2200
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Rear single bed	n.1: 810 x 1975 n.1: 750 x 2040
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l. (141 l. on request)
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
98 P

FIAT
PROFESSIONAL



6868x2340 mm



5



3



1



1050 x 850



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6868
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	3
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1170 x 2200*
Centre dinette double bed	-
Front drop-down bed	-
Rear single bed	n.2: 750 x 1933
Rear double bed	with extension: 1500 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l.
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions)	1050 x 850
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
98 PLUS

FIAT
PROFESSIONAL



6868x2340 mm



5




5



1



1050 x 850



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	6868
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	5
Maximum overall weight (kg)	3500

BEDS

Berths	5
Assemblable berths	1
Overcab double bed	-
Centre dinette single bed	1170 x 2200
Centre dinette double bed	-
Front drop-down bed	1300 x 2000
Rear single bed	n.2: 750 x 1933
Rear double bed	with extension: 1500 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	89 l.
Extractor hood	on request
Nr. burners hob	3
Oven	-
Garage (access door dimensions)	1050 x 850
H (mm) x W (mm)	
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SEAL
99 PLUS

FIAT
PROFESSIONAL



7443x2340 mm



4




4



0



1050 x 750



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7443
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2940 - 2075
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Centre dinette single bed	-
Centre dinette double bed	-
Front drop-down bed	1220 x 2000
Rear single bed	n.1: 810 x 1914 n.1: 750 x 1986
Rear double bed	with extension: 1840 x 2200
Bunk bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 60 l.
Waste water tank	100 l.
Antifreeze tank	on request

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	on request
Gas heater	Combi C4
Water heater	Combi C4
Gas bottle locker	(1+1) x 11:13 kg
Fridge	141 l.
Extractor hood	on request
Nr. burners hob	3
Oven	on request
Garage (access door dimensions) H (mm) x W (mm)	1050 x 750
Driver's cabin blackout blind	on request
Entrance door with fly screen	on request
TV-holder	on request
Roof rack with ladder	on request
Service battery	on request
Cabin seat covers	on request
Parking feet	on request
Bicycle rack	on request
Alarm system	on request
Outside entrance door lamp	✓
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request



SUPER BRIG



The luxury of a yacht, on four wheels

Italian Design for a true flagship

Super Brig is Rimor's highest expression of luxury on the road. Enjoy the luxury feeling of the flagship beloved by its founder, Luano Niccolai, available in low profile and overcab versions.

Top-of-the-range equipment, refined materials and spacious living areas are just some of the features that will surprise you. Super Brig is the vehicle without compromises dedicated to true enthusiasts.



Transverse bed
SUPER BRIG 687 TC

Twin beds
SUPER BRIG 695 TC

Rear suite bed
SUPER BRIG SUITE



Central bed
SUPER BRIG 69 PLUS

Transverse bed
SUPER BRIG 87 PLUS

Twin beds
SUPER BRIG 95 PLUS


Your passion for freedom has the wind in its sails

Book your first-class seat with Super Brig. Live your open air experience to the fullest without having to sacrifice anything. Start by choosing from a range of bedding options, all of which are designed to make sure your rest is as comfortable as possible: double, transverse, suite and twin beds that can convert to king size. All profile models also have a comfortable front drop-down bed as standard. The equipment is also top of the range: 153 L refrigerator column and pull-out mixer tap for the kitchen sink, deluxe upholstery and an XL panoramic porthole that can be opened for the overcab. The Suite model, much-loved for its comfortable double dinettes, adds a combi-oven with grill and hob to its spacious kitchen.

- ❶ **3-burner cooker hob**
- ❷ **Combi-oven with grill and hob** on the Suite model
- ❸ **Pull-out kitchen sink mixer tap**
- ❹ **Cleverly-designed kitchen** with integrated double-level drawer



- 5 **153 L refrigerator column which can be opened from both sides**
- 6 **Twin beds with pneumatic slatted bases and storage compartments** on 95 Plus and 695 models
- 7 **Bright overcab with deluxe lining**
- 8 **Practical sliding blind** with integrated fly-screen
- 9 **Isofix attachment points** (optional)



Other features: front drop-down bed as standard on all low-profile models, Combi Gas heating with CP Plus digital control unit as standard, curved cabinets with damper hinges, improved interior height underneath the drop-down bed (192 cm), overcab bed with pneumatic slatted bases.

Living area



Sleeping area



central bed



twin beds



transverse bed



rear suite bed

Kitchen



compact kitchen



long kitchen

Bathroom



single unit with shower
alongside toilet



separate toilet and shower cubicle

 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)

SUPER BRIG 687 TC

7173x2340 mm



4



4



0



1280 x 850

(1080 x 850 on request)



SUPER BRIG 695 TC

7373x2340 mm



4




4



0



1150 x 850



SUPER BRIG SUITE

7173x2340 mm



4





4



2



550 x 700





 certified seats

 berths

 assemblable berths

 garage (access door dimensions)
H (mm) x W (mm)






SUPER BRIG 69 PLUS

7373x2340 mm



 4  4  0

 750 x 850
(1280 x 850 on request)






SUPER BRIG 87 PLUS

7173x2340 mm



 4  4  0

 1280 x 850
(1080 x 850 on request)



SUPER BRIG 95 PLUS

7373x2340 mm



 4  4  0

 1150 x 850

SUPER BRIG

Technical data




Technical data

SUPER BRIG

687 TC

FIAT
PROFESSIONAL



7173x2340 mm



4



4



0



1280 x 850
(1080 x 850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	1400 x 2110
Double bed rear sitting area	-
Front drop-down bed	-
Rear single bed	-
Rear double bed	1320 x 2200
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-


*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SUPER BRIG

695 TC

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



1150 x 850

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	1400 x 2110
Double bed rear sitting area	-
Front drop-down bed	-
Rear single bed	n.1: 800 x 1935 n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	1150 x 850
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SUPER BRIG SUITE

FIAT
PROFESSIONAL



7173x2340 mm



4





4



2



550 x 700



MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 1995
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	2
Overcab double bed	1400 x 2110
Double bed rear sitting area	1525 x 2200
Front drop-down bed	-
Rear single bed	-
Rear double bed	-
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	✓
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	✓
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions)	550 x 700
H (mm) x W (mm)	
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-


*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SUPER BRIG

69 PLUS

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



750 x 850
(1280 x 850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	103-140*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear single bed	-
Rear double bed	1360 x 1880
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	-
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	750 x 850 (1280 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-



*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SUPER BRIG

87 PLUS

FIAT
PROFESSIONAL



7173x2340 mm



4



4



0



1280 x 850
(1080 x 850
on request)

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	3800
Displacement (L)	2,2
Maximum power (kW-HP)	88 - 120*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7173
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1380 x 2000
Rear single bed	-
Rear double bed	1320 x 2200
Rear drop-down double bed	on request

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT


Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	-
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions) H (mm) x W (mm)	1280 x 850 (1080 x 850 on request)
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request

Technical data

SUPER BRIG 95 PLUS

FIAT
PROFESSIONAL



7373x2340 mm



4



4



0



1150 x 850

MECHANICAL UNIT

Engine	Fiat Ducato
Wheelbase (mm)	4035
Displacement (L)	2,2
Maximum power (kW-HP)	88 - 120*
Radio MP3	on request

DIMENSIONS AND WEIGHTS

Outside length (mm)	7373
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	2900 - 2040
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats	4
Maximum overall weight (kg)	3500

BEDS

Berths	4
Assemblable berths	-
Overcab double bed	-
Double bed rear sitting area	-
Front drop-down bed	1215 x 2000
Rear single bed	n.1: 800 x 1935 n.1: 800 x 2100
Rear double bed	with extension: 1400 x 2200
Rear drop-down double bed	-

TANKS

Drinking water (inside)	20 + 65 l.
Waste water tank	100 l.
Antifreeze tank	✓

EQUIPMENT

Cabin swivel seats	✓
Panoramic porthole living area	-
Openable panoramic porthole low-profile models front pod	✓
Gas heater	Combi C6
Water heater	Combi C6
Gas bottle locker	(1+1) x 11:13 kg
Fridge	153 l.
Extractor hood	✓
Nr. burners hob	3
Oven	on request
Driver's cabin blackout blind	on request
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Garage (access door dimensions)	1150 x 850
H (mm) x W (mm)	
Roof rack with ladder	on request
Service battery	on request
Bicycle rack	on request
Alarm system	on request
Tow bar	-

*the Fiat Ducato 132 kW - 180 CV engine is available on request



Mechanical units

Safety and reliability in the driving seat

Ford Transit



As standard:

- Driving seat armrests
- On-board computer
- Cruise control
- Double airbag
- Central locking
- Electric windows
- Electric rear-view mirrors
- ABS (anti-lock braking system)
- Hill-start assist
- USB/MP3/BLEETOOTH radio with steering wheel mounted controls

Fiat Ducato X250




As standard:

- Comfort Plus "Captain Chair" seats: built-in headrests, an even broader back and two armrests with height and incline adjustment
- Cruise control
- Double Airbag
- Central locking
- Radio predisposition and speakers
- Electric windows
- Electric rear-view mirrors
- ABS (anti-block braking system)
- Side mirror-integrated DAB antenna, standard


Fabrics

Kilig




Glace
(standard)

Evo



Noix
(standard)



Myrtille
(optional)

Seal




Noisette
(standard)




Cerise
(optional)


Super Brig



Vanille
(standard)



Pistache
(optional)



Champagne
(eco-leather optional)

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.



World sweet home

Continue your trip with Rimor online. Follow all our activities on our blog, Facebook and Instagram. Share all your adventures with us on social media with #Rimor



www.rimor.it

The technical data and vehicle characteristics, as set forth in this catalogue, are purely indicative in nature. The manufacturer and distributor cannot be held liable in the event of changes made for any reason during the season.

